



「Leisure time – creating  
unforgettable adventures」



# 「Welcome to eibe.」

## FAMILY TIME, BEST TIME!

Whether it's a day trip or a family vacation, taking time out together away from the daily grind – family time is precious time.

In order for a perfect family day to succeed and become an unforgettable experience, a family-friendly destination is needed where everyone can have a relaxed, enjoyable time. A place where the whole family can have fun is measured first and foremost by what is on offer for younger visitors. That's why the youngest members of the family usually have a say when it comes to choosing a destination. Any excursion with children is only as good as the play facilities available.

Children love adventure playgrounds. What could be better than watching your own kids create their play and be happy doing it? Whether it's a recreational facility, a park, an indoor playground or the small, fine places with that special something – in the garden pub, hotel or at the campsite. They all provide a lot of happiness and unforgettable memories. This is where guests love to come back.

The exciting adventure play areas and imaginative themed play facilities from eibe – for outdoors and indoors are a guarantee for carefree fun, offer challenges, ensure movement and thus happy children and satisfied, relaxed parents.

In the selection of materials, as well as in the production and processing of our eibe play worlds, we pay attention to ecological sustainability and environmental friendliness. Playground equipment in the recreational area is highly frequented and must therefore withstand a high load, be stable and durable.

eibe playgrounds are made of high quality wood. Constructive wood protection, fastenings made of stainless steel and other high-quality materials guarantee robustness, first-class stability and safety.

As a specialist for individual play worlds, we can fully respond to the special conditions of your site, plan and manufacture to measure.

We know the trends, plan individually and build your playground highlight for the family leisure area sustainably and value stable.



A low-angle photograph of three children in a forest. A girl in a pink shirt is on the left, a boy in a white shirt is in the center, and a girl in a white shirt is on the right with her arm raised. They are surrounded by tall trees and sunlight filtering through the leaves. A large, semi-transparent 'eibe' logo is overlaid on the right side of the image.

# Contents

Visit us at  
[www.eibe.co.uk](http://www.eibe.co.uk)

Climbing and balancing	14
Towers and play facilities	26
Themed play units	40
Sand and water play	58
Playground classics	62
Indoor play units	70
Take off with movement	76





Märchenparadies Heidelberg, GER



Berggasthof Hochbühl, GER



Hullabazoo Play Area, Whipsnade Zoo  
Dunstable, UK



Camping Lotsenhaus, GER



Technical Museum Sinsheim, GER



Tornado Springs Paulton



Jagdschloss Granitz, GER





Baltic Sea Theme Park, GER



Parc Bryn Bach, Tredegar, UK



Neptune Hotels Resort Kos, GRC



on's Park, Southampton, UK



National Garden Show Eutin, GER



Manor Farm, Southampton, UK



# 「Sustainability & Environment」

## **SUSTAINABILITY, ENVIRONMENTAL PROTECTION, ECOLOGICAL BALANCE**

eibe is a true “environmental protection pioneer”. It is important to us as a company that all products are manufactured as sustainably and environmentally friendly as possible. From wood as a raw material to the production process and catalogue printing: we work in a resource-saving manner, pay attention to fairly produced materials and attach great importance to the highest level of transparency in all areas.

We have made it our mission to motivate children to be more active. This is best achieved with well thought-out play concepts, the sensible integration of new trends and natural, exciting materials. That's why we rely on wood – and thus on one of the most versatile and sustainable materials!

Wood is also hard to beat in terms of look and haptics.

As a building material, wood is characterised above all by its long service life and low maintenance requirements. eibe play equipment is produced using ecologically compatible manufacturing processes.

- Only wood from European forestry is used for our play equipment, which is 100% FSC®-COC certified.
- Saving energy costs and reducing emissions through heat recovery and direct air supply.
- Residual wood, chips and sanding dust are transported centrally to the storage silos and from there to the company's own heating system. In this way, more than 90 % of the heating requirements of the entire company are covered.
- Use of resistant woods for outdoor use, chrome-free impregnation according to DIN regulations.
- Increase in work efficiency due to shorter transport routes.
- Investment in forklifts with air filters to keep the air in the halls clean.
- Conversion of forklifts from diesel drive to electric drive.
- Replacement of the lights in the production halls and warehouses with LED lights.



## NATURE AND THE ENVIRONMENT – MAXIMUM PRIORITY FOR A GOOD FUTURE

For more than 20 years, it has been a matter close to our hearts to manufacture play equipment and play facilities as environmentally friendly and sustainable as possible. That's why we use environmentally friendly and ecologically sound materials for our products and only use raw materials that are free of harmful substances. As former carpenters, we are real wood experts! We know the value of this raw material and are familiar with strict processing criteria.

Wood is one of the best raw materials of all when it comes to CO<sub>2</sub> neutrality and resource conservation. The harmful greenhouse gas carbon dioxide (CO<sub>2</sub>), which every tree extracts from the atmosphere during its growth phase, is harmlessly bound as carbon (C) in wooden products over their entire service life. eibe play equipment made of wood thus acts like a CO<sub>2</sub> battery over its entire product life cycle.

We use wood mainly in the form of sawn timber, squared timber or round timber. Larch laminated timber is particularly convincing with its natural durability, as is robinia wood, which can be installed outdoors without any treatment due to its resistance. We carry out long-term tests on our products and are actively involved in the DIN/EN standards committee – after all, environmental protection starts with product development!

## OUR CERTIFICATIONS



Das Zeichen für verantwortungsvolle Waldwirtschaft



## OUR MEMBERSHIPS





# 「Highest play value – safe & reliable」

At eibe, play value is a central criterion of our corporate philosophy. Because we are only satisfied when every single aspect, every requirement of our play equipment is fulfilled in terms of real value: When eibe play worlds are valuable on all levels, we have achieved our goal.



## **All these aspects are promoted at eibe play worlds:**

- Fitness and the joy of movement
- Social competence
- Creativity and imagination
- Fine and gross motor skills
- Promotion of all senses
- Knowledge and 3D thinking
- Joy of experimenting
- Exploring the elements
- Relaxation and sense of order
- Basics of living together



## THE IDEAL PARTNER WHEN IT COMES TO SAFETY.

It is not for nothing that our products are produced in Germany and put through their paces before they are released for use.

Our products are certified and meet all the required EU standards. After all, the safety of our children is also in our hands.

### That makes us reliable:

- For decades, we have been happy to be personally on site for you.
- Careful project management and proactive communication.
- We implement our customers' wishes within budget and conscientiously.
- Defined and regularly certified quality standards according to ISO 9001.



**made in  
Germany**



All our play units  
comply with the  
**DIN EN 1176**  
and  
**DIN EN 16630**  
standards.



# 「The eibe allround service」

## QUALITY IN PRODUCTS, PERFORMANCE AND ADVICE.

eibe offers professional all-round service from planning to installation. Your wishes are implemented by specialists in creative complete concepts. Together with you we fix project stages and determine costs. Play value, attractiveness, educational demands are just as important planning factors as durability, safety and ecological sustainability. We at eibe are a competent partner – even if special site-specific requirements or special target groups have to be taken into account.

We offer you full service: from A to Z, internationally and with globally active partners directly on site:

- Personal expert advice
- Individual and creative concept development
- Well thought-out playground planning according to international guidelines
- Professional project management and on-time realisation
- Tailor-made financing according to your needs







# 「Now even better: shop.eibe.co.uk」

Even more information and pictures for every product!

Easy  
navigation

Filter options for the  
product search

Helpful  
product  
suggestions

Detailed  
product videos

3D-views

Download  
options

Customised  
configuration

Practical  
planning aids

Helpful  
specialist  
consultant search

**Note:** Protecting your personal data has our highest priority. On [shop.eibe.co.uk/privacy-policy/](https://shop.eibe.co.uk/privacy-policy/) we fully inform you how we collect, use and process your data in accordance with the EU data protection regulations (EU-DSGVO). On [www.eibe.co.uk/service/warranty](https://www.eibe.co.uk/service/warranty) you will find all about our warranties and the general terms under [shop.eibe.co.uk/general-terms-and-conditions/](https://shop.eibe.co.uk/general-terms-and-conditions/)





Neptune Hotels Resort Kos, GRC



**「Climbing and  
balancing – take on  
exciting challenges!」**







Climbing parcour inMotion Park, Steinberg am See, GER





## unique play unit Titanos

### Info box

Minimum space: 2199x1310x448 cm  
 Free falling height: 268 cm  
 Impact protection net: 80,5 m²  
 Foundations: 21x CF or 14x PFs + 7x CF

5 25 060 011 00 SW pi  
 5 25 060 031 00 Larch nature  
 ① 5 25 060 041 00 Larch GL, larch  
 5 25 060 041 06 Larch GL green, Larch



### Combination of

activetrail® + unique



## unique play unit Ramiris

### Info box

Minimum space: 1096x1618x398 cm  
 Free falling height: 218 cm  
 Impact protection net: 80,5 m²  
 Foundations: 38x CF or 31x PFs + 7x CF

5 25 151 011 00 SW pi  
 5 25 151 031 00 Larch natural  
 5 25 151 041 00 Larch GL, larch  
 5 25 151 041 06 Larch GL green, larch

Click here for more  
climbing units







### active trail combination 07

#### Info box

Minimum space:	985x1458x279 cm
Free falling height:	99 cm
Impact protection net:	27,0 m²
Foundations:	11x CF + 8x PFs

5 25 046 011 00 SW pi

5 25 046 031 00 Larch natural

① 5 25 046 041 00 Larch GL, larch



[Click here for more  
climbing units](#)



### active trail combination 02

#### Info box

Minimum space:	891x846x230 cm
Free falling height:	50 cm
Impact protection net:	-
Foundations:	9x CF + 2x PFs

5 25 041 011 00 SW pi

5 25 041 031 00 Larch natural

① 5 25 041 041 00 Larch GL, larch







## tough trail play unit Jump Contest

### Info box

Minimum space:	915x1395x368 cm
Free falling height:	188 cm
Impact protection net:	62,5 m²
Foundations:	25x CF or 11x CF + 14x PFs

### Java Concrete

5 25 701 011 00	SW pi
5 25 701 031 00	Larch natural
5 25 701 041 00	Larch GL, larch



### Urban Graffiti

5 25 701 011 72	SW pi
5 25 701 031 72	Larch natural
① 5 25 701 041 72	Larch GL, larch



### Black Pattern

5 25 701 011 91	SW pi
5 25 701 031 91	Larch natural
5 25 701 041 91	Larch GL, larch







Click here for more  
climbing units



## tough trail play unit Turntillburn

### Info box

Minimum space:	1524x1429x464 cm
Free falling height:	284 cm
Impact protection net:	126,5 m <sup>2</sup>
Foundations:	37x CF or 2x CF + 35 PFs

### Java Concrete

5 25 704 011 00	SW pi
5 25 704 031 00	Larch natural
5 25 704 041 00	Larch GL, larch

### Urban Graffiti

5 25 704 011 72	SW pi
5 25 704 031 72	Larch natural
① 5 25 704 041 72	Larch GL, larch

### Black Pattern

5 25 704 011 91	SW pi
5 25 704 031 91	Larch natural
5 25 704 041 91	Larch GL, larch





Rotating add dynamics  
and speed into play!

Click here for more  
climbing units



## climbo climbing structure Yuki

### Info box

Minimum space:	771x494x362 cm
Free falling height:	130 cm
Impact protection net:	28,5 m <sup>2</sup>
Foundations:	6x CF or 5x PFI + 1 CF

5 25 908 011 00	SW pi
5 25 908 031 00	Larch natural
① 5 25 908 041 00	Larch GL




## climbo climbing structure Terion

### Info box

Minimum space:	734x719x350 cm
Free falling height:	145 cm
Impact protection net:	35,0 m <sup>2</sup>
Foundations:	4x CF

① 5 25 065 011 00	SW pi
5 25 065 031 00	Larch nature
② 5 25 065 041 00	Larch GL
5 25 065 041 06	Larch GL green








### climbo climbing structure Kaya

#### Info box

Minimum space:	1204x1169x392 cm
Free falling height:	297 cm
Impact protection net:	72,5 m²
Foundations:	15x CF or 13 PFI + 2x PFs

5 25 910 011 00	SW pi
5 25 910 031 00	Larch natural
① 5 25 910 041 00	Larch GL








## paradiso play unit Crona

### Info box

Minimum space:	1075x620x400 cm
Free falling height:	220 cm
Impact protection net:	54,0 m <sup>2</sup>
Foundations:	17x CF

① 5 45 097 053 06 Robinia oiled  
5 45 097 063 00 Robinia natural



## paradiso play unit Climbing Tree Ema

### Info box

Minimum space:	940x780x390 cm
Free falling height:	210 cm
Impact protection net:	58,0 m <sup>2</sup>
Foundations:	21x CF

① 5 45 083 053 06 Robinia oiled  
5 45 083 063 00 Robinia natural








## paradiso running drum Wim

### Info box

Minimum space:	430x330x240 cm
Free falling height:	60 cm
Impact protection net:	14,0 m <sup>2</sup>
Foundations:	2x CF

- ① 5 45 348 053 06 Robinia oiled  
5 45 348 063 00 Robinia natural



①

Click here for more  
climbing units



①



## paradiso rotating beam Ola

### Info box

Minimum space:	600x316x300 cm
Free falling height:	45 cm
Impact protection net:	17,0 m <sup>2</sup>
Foundations:	2x CF

- ① 5 45 128 053 06 Robinia oiled  
5 45 128 063 00 Robinia natural




## paradiso play unit Climbing Garden


### Info box

Minimum space:	723x562x362 cm
Free falling height:	175 cm
Impact protection net:	29,0 m <sup>2</sup>
Foundations:	11x CF

- ① 5 45 279 053 06 Robinia oiled  
5 45 279 063 00 Robinia natural



①



①



## paradiso balance combination Osawina

### Info box

Minimum space:	1232x453x231 cm
Free falling height:	51 cm
Impact protection net:	43,0 m <sup>2</sup>
Foundations:	6x CF

- ① 5 45 177 053 06 Robinia oiled  
5 45 177 063 00 Robinia natural






## Rope dome Midi

### Info box

Minimum space:	950x950x371 cm
Free falling height:	191 cm
Impact protection net:	56,0 m <sup>2</sup>
Foundations:	4x CF

5 55 642 0 Steel powder., PP, PA, VA



[Click here for more climbing units](#)



## Climbing pyramid 650

### Info box

Minimum space:	Ø 1235x650 cm
Free falling height:	200 cm
Impact protection net:	120,0 m <sup>2</sup>
Foundations:	9x CF

5 55 626 0 Steel








### Climbing unit TeenCity Telesto

#### Info box

Minimum space:	940x580x466 cm
Free falling height:	238 cm
Impact protection net:	41,0 m²
Foundations:	8x CF

- ① 5 52 018 143 08 Steel powder. red  
5 52 018 143 09 Steel powder. iguana



### Climbing unit TeenCity Pan

#### Info box

Minimum space:	1236x646x467 cm
Free falling height:	250 cm
Impact protection net:	50,0 m²
Foundations:	8x CF

- 5 52 048 143 08 Steel powder. red  
① 5 52 048 143 09 Steel powder. iguana





「Up high –  
tall towers and  
long slides!」

City of Bietigheim-Bissingen, GER







Ashkelon, ISR





Click here for more  
play facilities



①



Please order spiral  
slide ph 445 cm  
separately!

Please order the slide  
ph 145 cm separately



## unique play unit Artur, solo

### Info box

Minimum space:	1531 x 1052 x 753 cm
Free falling height:	295 cm
Impact protection net:	70,0 m <sup>2</sup>
Foundations:	25x CF or 25x PFs

5 25 152 011 00	SW pi
5 25 152 031 00	Larch natural
① 5 25 152 041 00	Larch GL, larch
5 25 152 041 06	Larch GL green, larch



Please choose your add-on slides:

A	5 40 101 101 31	GFRP iguana	PH 145 cm
B	5 40 101 111 31	GFRP iguana & SS coat	PH 145 cm
C	5 40 101 121 00	Stainless steel	PH 145 cm

Please choose your spiral tube slide 360°:

D	5 40 123 101 31	GFRP iguana	PH 445 cm
E	5 40 123 121 00	Stainless steel	PH 445 cm



Steel galvanized



Steel powder



Stainless steel



7 meters high!

5 playboards to discover



### unique play unit Mentras, solo

#### Info box

Minimum space:	1340x990x815 cm
Free falling height:	295 cm
Impact protection net:	78,0 m <sup>2</sup>
Foundations:	17x CF or 17x PFs

5 25 085 011 00	SW pi
5 25 085 031 00	Larch nature
① 5 25 085 041 00	Larch GL, larch
② 5 25 085 041 06	Larch GL green, Larch

Please choose your add-on slide:

Ⓐ 5 40 101 101 31	GFRP iguana	PH 145 cm
Ⓑ 5 40 101 111 31	GFRP iguana & SSt coat	PH 145 cm
Ⓒ 5 40 101 121 00	Stainless steel	PH 145 cm

Attached spiral slide, right-hand turn:

Ⓓ 5 40 111 121 00	Stainless steel	PH 295 cm
-------------------	-----------------	-----------

Attached spiral tube slide, left-hand turn:


Ⓔ 5 40 123 101 31	GFRP iguana	PH 445 cm
Ⓕ 5 40 123 121 00	Stainless steel	PH 445 cm





①

[Click here for more play facilities](#)



Please order the slide separately



## unique play unit Taran, solo

### Info box

Minimum space:	1126x786x426 cm
Free falling height:	234 cm
Impact protection net:	52,0 m <sup>2</sup>
Foundations:	16x CF or 11x PFs + 1x PFI + 4x CF

5 25 148 011 00	SW pi
5 25 148 031 00	Larch natural
① 5 25 148 041 00	Larch GL, larch
5 25 148 041 06	Larch GL green, larch

Please choose your add-on slide:

(A)	5 40 101 101 31	GFRP iguana	PH 145 cm
(B)	5 40 101 111 31	GFRP iguana & SSt coat	PH 145 cm
(C)	5 40 101 121 00	Stainless steel	PH 145 cm







## unique play unit Aylen, solo

### Info box

Minimum space: 679x1038x398 cm  
 Free falling height: 218 cm  
 Impact protection net: 42,0 m²  
 Foundations: 13x CF or 13x PFs

5 25 141 011 00	SW pi
5 25 141 031 00	Larch natural
① 5 25 141 041 00	Larch GL, larch
5 25 141 041 06	Larch GL green, larch



Please choose your add-on slide:

① A 5 40 101 101 31	GFRP iguana	PH 145 cm
B 5 40 101 111 31	GFRP iguana & SSt coat	PH 145 cm
C 5 40 101 121 00	Stainless steel	PH 145 cm




## unique play unit Lycon 1, solo

### Info box


Minimum space: 957x699x375 cm  
 Free falling height: 195 cm  
 Impact protection net: 41,0 m²  
 Foundations: 11x CF or 11x PFs

5 25 075 011 00	SW pi
5 25 075 031 00	Larch nature
① 5 25 075 041 00	Larch GL, larch
5 25 075 041 06	Larch GL green, Larch



Please choose your add-on slide:

① A 5 40 102 101 31	GFRP iguana	PH 195 cm
B 5 40 102 111 31	GFRP iguana & SSt coat	PH 195 cm
C 5 40 102 121 00	Stainless steel	PH 195 cm







**Tubular slide also available  
in stainless steel**



**ecorino  
play unit Denali, solo**

**Info box**

Minimum space: 1398x1348x497 cm  
Free falling height: 285 cm  
Impact protection net: 97,0 m<sup>2</sup>  
Foundations: 26x CF or 26x PFs

5 11 511 011 00	SW pi
5 11 511 031 00	Larch natural
① 5 11 511 041 00	Larch GL, larch

Please choose your add-on slide:

(A) 5 40 101 101 31	GFRP iguana	PH 145 cm
(B) 5 40 101 111 31	GFRP iguana & SSt coat	PH 145 cm
(C) 5 40 101 121 00	Stainless steel	PH 145 cm
(A) 5 40 102 101 31	GFRP iguana	PH 195 cm
(B) 5 40 102 111 31	GFRP iguana & SSt coat	PH 195 cm
(C) 5 40 102 121 00	Stainless steel	PH 195 cm

Please choose your tube slide

(D) 5 40 116 101 31	GFRP iguana	PH 295 cm
(E) 5 40 116 121 00	Stainless steel	PH 295 cm



On request, all wooden posts are available in metal - please contact us.





Please order the slide separately



### ecorino play unit Pizol, solo

#### Info box

Minimum space: 975x837x340 cm  
Free falling height: 146 cm  
Impact protection net: 40,0 m<sup>2</sup>  
Foundations: 17x CF or 10x PFs + 2x PFr + 5x CF

5 11 540 011 00 SW pi

5 11 540 031 00 Larch natural

① 5 11 540 041 00 Larch GL, larch



Please choose your add-on slide:



Ⓐ 5 40 101 101 31	GFRP iguana	PH 145 cm
Ⓑ 5 40 101 111 31	GFRP iguana & SSt coat	PH 145 cm
Ⓒ 5 40 101 121 00	Stainless steel	PH 145 cm

[Click here for more play facilities](#)



### ecorino play unit Similaun, solo

#### Info box

Minimum space: 1076x954x406 cm  
Free falling height: 290 cm  
Impact protection net: 52,0 m<sup>2</sup>  
Foundations: 20x CF or 12x PFs + 2x PFr + 6x CF

5 11 541 011 00 SW pi

5 11 541 031 00 Larch natural

① 5 11 541 041 00 Larch GL, larch

**Particularly challenging:  
ascents and transitions for  
adventurous children**

Please order the slide separately

Please order the slide separately

5 40 107 111 31 GFRP iguana & SSt coat



PH 195 cm





「More nature for  
you to explore!」

Adventure Playground Landal-Miggelenberg, NL







Playground Brombachsee, GER





## paradiso play unit Bo, solo

### Info box

Minimum space:	1389x1120x379 cm
Free falling height:	175 cm
Impact protection net:	93,0 m <sup>2</sup>
Foundations:	30x CF

- ① 5 45 325 053 06 Robinia oiled  
5 45 325 063 00 Robinia natural




Climbing, balancing and  
swinging – on exciting paths  
from tree house to tree house

Please choose your add-on slide:



① A 5 40 185 101 31	GFRP iguana	PH 95 cm
① B 5 40 185 111 31	GFRP iguana & SSt coat	PH 95 cm
① C 5 40 185 121 00	Stainless steel	PH 95 cm
① A 5 40 101 101 31	GFRP iguana	PH 145 cm
① B 5 40 101 111 31	GFRP iguana & SSt coat	PH 145 cm
① C 5 40 101 121 00	Stainless steel	PH 145 cm



Please order the slide  
ph 95 cm separately!

Please order the slide  
ph 145 cm separately





Please order the slide separately



### paradiso play unit Andor, solo

#### Info box

Minimum space:	1029x543x448 cm
Free falling height:	218 cm
Impact protection net:	52,5 m <sup>2</sup>
Foundations:	9x CF


- ① 5 45 368 053 06 Robinia oiled  
5 45 368 063 00 Robinia natural

Please choose your add-on slide:



① A 5 40 101 101 31	GFRP iguana	PH 145 cm
B 5 40 101 111 31	GFRP iguana & SSt coat	PH 145 cm
C 5 40 101 121 00	Stainless steel	PH 145 cm

Click here for more  
play facilities



Please order the slide separately



### paradiso play unit Bent, solo

#### Info box

Minimum space:	1073x1054x470 cm
Free falling height:	145 cm
Impact protection net:	107,5 m <sup>2</sup>
Foundations:	13x CF

- ① 5 45 369 053 06 Robinia oiled  
5 45 369 063 00 Robinia natural



### paradiso play unit Winja

#### Info box

Minimum space:	535x476x220 cm
Free falling height:	60 cm
Impact protection net:	21,0 m <sup>2</sup>
Foundations:	-

- ① 5 45 012 053 06 Robinia oiled  
5 45 012 063 00 Robinia natural



Please order the slide separately

Please choose your add-on slide:



① A 5 40 101 101 31	GFRP iguana	PH 145 cm
B 5 40 101 111 31	GFRP iguana & SSt coat	PH 145 cm
C 5 40 101 121 00	Stainless steel	PH 145 cm









The Old Wise Tree stimulates mind, body and soul. Including climbing walls, slide, swing, sensory elements and much more.




### paradiso play unit Old Wise Tree

#### Info box

Minimum space:	1320x1270x750 cm
Free falling height:	230 cm
Impact protection net:	130,0 m <sup>2</sup>
Foundations:	26x CF

① 5 45 184 053 06	Robinia oiled
5 45 184 063 00	Robinia natural

includes slide







# 「Play worlds – creating unforgettable adventures!」



Municipal playground Aub, GER







We plan your individual project.







## unique carriage

### Info box

Minimum space:	614x468x360 cm
Free falling height:	180 cm
Impact protection net:	24,0 m <sup>2</sup>
Foundations:	6x CF or 6x PFs

- ① 5 20 023 011 04 SW pi  
② 5 20 023 021 04 Larch GL, larch



[Click here for more  
themed play units](#)



## unique play unit Charlton Castle, solo

### Info box

Minimum space:	863x921x410 cm
Free falling height:	145 cm
Impact protection net:	43,0 m <sup>2</sup>
Foundations:	15x CF or 15x PFs

- 5 25 096 011 00 SW pi  
5 25 096 031 00 Larch nature  
① 5 25 096 041 00 Larch GL, larch  
5 25 096 041 06 Larch GL green, Larch



Please choose your add-on slide:

Ⓐ 5 40 101 101 22	GFRP grey	PH 145 cm
Ⓑ 5 40 101 111 22	GFRP grey & SSt coat	PH 145 cm
Ⓒ 5 40 101 121 00	Stainless steel	PH 145 cm

Please order the  
slide separately!



# A castle with limitless possibilities.



## unique play unit Kings Castle, solo

### Info box

Minimum space:	1921x1557x805 cm
Free falling height:	268 cm
Impact protection net:	156,0 m <sup>2</sup>
Foundations:	48x CF or 47x PFs + 1x PFI


5 25 100 011 00	SW pi
5 25 100 031 00	Larch nature
① 5 25 100 041 00	Larch GL, larch
5 25 100 041 06	Larch GL green, Larch

Attached spiral tube slide,  
left-hand turn:



① A 5 40 123 101 22	GFK grau	PH 445 cm
B 5 40 123 121 00	Stainless steel	PH 445 cm

①



Please order the  
slide separately!



## Multi-spring rocker Covered Wagon


### Info box

Minimum space:	450x420x263 cm
Free falling height:	83 cm
Impact protection net:	17,0 m <sup>2</sup>
Foundations:	4x 5632280 + 4x CF

5 67 120 0	SW pi
------------	-------







## unique playing ship Catamaran

### Info box

Minimum space:	802x697x545 cm
Free falling height:	149 cm
Impact protection net:	41,0 m <sup>2</sup>
Foundations:	7x CF or 8x PFs + 4x PFI

① 5 59 153 011 00	SW pi
5 59 153 031 00	Larch nature
5 59 153 041 00	Larch

Click here for more  
themed play units




## unique playing ship Santa Maria, solo

### Info box

Minimum space:	1532x965x602 cm
Free falling height:	211 cm
Impact protection net:	73,0 m <sup>2</sup>
Foundations:	8x CF or 8x PFs + 13x PFI

① 5 59 151 011 00	SW pi
5 59 151 031 00	Larch nature
② 5 59 151 041 00	Larch GL, larch





# 「The world is colourful: Happy colours for all!」

Whether on land or by the sea - find the right color concept!



Ocean



Meadow



## Windsurfer small

### Info box

Minimum space: Ø 472x226 cm

Free falling height: 46 cm

Impact protection net: 18,0 m²

Foundations: 1x CF

5 67 259 0

Stainless steel, HPL, HDPE







「eibe fleet!」

We plan and project manage  
your project.







climbo decoration Pirates  
for Primo Victoria

5 59 157 0

HPL

Primo Victoria

5 59 154



Deep sea climbing  
fun or diving into  
the exciting world  
of the senses!



Video on  
[www.eibe.net](http://www.eibe.net)




### paradiso play fish Lohi

#### Info box

Minimum space:	818x849x245 cm
Free falling height:	195 cm
Impact protection net:	44,0 m <sup>2</sup>
Foundations:	19x CF or 19x PFs

① 5 45 334 053 00	Robinia oiled
5 45 334 063 00	Robinia natural



We make your project come  
to life.

Consultation, design and pricing

**CONSULTATIONS  
ON SITE**








「Dive into our creative world.」



Which themed friend fits into your project?







## playo log wagon Ludwig

### Info box

Minimum space:	471x376x260 cm
Free falling height:	80 cm
Impact protection net:	16,0 m <sup>2</sup>
Foundations:	4x CF or 4x PFs

① 5 11 051 011 00	SW pi
5 11 051 031 00	Larch natural
5 11 051 041 00	Larch GL, larch



## playo tank wagon Tobias

### Info box

Minimum space:	482x400x225 cm
Free falling height:	120 cm
Impact protection net:	17,5 m <sup>2</sup>
Foundations:	4x CF or 4x PFs

① 5 11 050 011 00	SW pi
5 11 050 031 00	Larch natural
5 11 050 041 00	Larch GL, larch





**SNEAK PREVIEW!**  
Available from mid 2022



**minimondo**  
play unit Dog house


5 59 860 011 00 SW pi  
5 59 860 041 00 Larch GL, larch

also in the colour  
concept

**Forest**



**Strawberry**



①




**playo**  
hay wagon Lukas

**Info box**

Minimum space: 471x376x225 cm  
Free falling height: 45 cm  
Impact protection net: 16,0 m<sup>2</sup>  
Foundations: 4x CF or 4x PFs

① 5 11 049 011 00 SW pi  
5 11 049 031 00 Larch natural  
5 11 049 041 00 Larch GL, larch



**playo**  
tractor Björn

**Info box**

Minimum space: 475x375x250 cm  
Free falling height: 70 cm  
Impact protection net: 16,0 m<sup>2</sup>  
Foundations: 6x CF or 6x PFs

① 5 11 048 011 00 SW pi  
5 11 048 031 00 Larch natural  
5 11 048 041 00 Larch GL, larch







## ecorino fire engine, solo

### Info box

Minimum space:	1023x466x325 cm
Free falling height:	145 cm
Impact protection net:	39,5 m²
Foundations:	19x CF or 19x PFs

① 5 11 801 011 00	SW pi
5 11 801 031 00	Larch natural
5 11 801 041 00	Larch GL, larch

Please choose your add-on slides:

① A 5 40 101 101 26	GFRP red	PH 145 cm
B 5 40 101 111 26	GFRP red & SSt coat	PH 145 cm
C 5 40 101 121 00	Stainless steel	PH 145 cm



[Click here for more  
themed play units](#)



## ecorino fire brigade tower, solo

### Info box

Minimum space:	1098x782x614 cm
Free falling height:	245 cm
Impact protection net:	43,5 m²
Foundations:	4x CF or 3x PFs + 1x CF

5 11 802 011 00	SW pi
① 5 11 802 031 00	Larch natural
5 11 802 041 00	Larch GL, larch



Please choose your add-on slides:

① A 5 40 101 101 26	GFRP red	PH 145 cm
B 5 40 101 111 26	GFRP red & SSt coat	PH 145 cm
C 5 40 101 121 00	Stainless steel	PH 145 cm




Please choose your spiral tube slide 360°.

① D 5 40 121 101 26	GFRP red	PH 345 cm
E 5 40 121 121 00	Stainless steel	PH 345 cm







Please order the slide separately



## ecorino fire brigade combination, solo

### Info box

Minimum space:	1232x1203x614 cm
Free falling height:	295 cm
Impact protection net:	72,5 m²
Foundations:	27x CF or 22x PFs + 4x CF

5 11 803 011 00	SW pi
① 5 11 803 031 00	Larch natural
5 11 803 041 00	Larch GL, larch

Tubular slide also  
available in stainless steel



Please choose your spiral tube slide 360°.

① 5 40 121 101 26	GFRP red	PH 345 cm
⑤ 5 40 121 121 00	Stainless steel	PH 345 cm




## Spring rocker Fire Extinguisher

### Info box

Minimum space:	366x323x238 cm
Free falling height:	58 cm
Impact protection net:	5,5 m²
Foundations:	1x 5591600 + 1x CF or 1x 5632100 + 1x CF

5 67 255 0	Laminated timber, MDF
------------	-----------------------



## ecorino fire brigade net

### Info box


Minimum space:	654x606x250 cm
Free falling height:	70 cm
Impact protection net:	25,5 m²
Foundations:	6x CF

5 11 804 011 00	SW pi
① 5 11 804 031 00	Larch natural
5 11 804 041 00	Larch GL





Video on  
[www.eibe.net](http://www.eibe.net)



Click here for more  
themed play units




## climbo play unit Off-Road

### Info box

Minimum space:	878x718x385 cm
Free falling height:	198 cm
Impact protection net:	38,0 m <sup>2</sup>
Foundations:	2x CF

5 59 159 011 00	SW pi
5 59 159 031 00	larch natural
① 5 59 159 041 00	larch GL, larch







### unique play unit Isla de Patos, solo

#### Info box

Minimum space:	1169x951x459 cm
Free falling height:	218 cm
Impact protection net:	74,5 m²
Foundations:	21x CF or 17x PFs + 2x PFI + 2x CF

5 25 112 011 00	SW pi
5 25 112 031 00	Larch nature
① 5 25 112 041 00	Larch GL, larch
5 25 112 041 06	Larch GL, green, Larch

Please choose your add-on slide:

(A)	5 40 101 101 31	GFRP iguana	PH 145 cm
(B)	5 40 101 111 31	GFRP iguana & SSt coat	PH 145 cm
(C)	5 40 101 121 00	Stainless steel	PH 145 cm



### unique tree house

#### Info box

Minimum space:	555x558x405 cm
Free falling height:	145 cm
Impact protection net:	25,5 m²
Foundations:	6x CF or 2x PFs + 4x CF

①	5 66 358 5	SW pi
	5 66 358 033 00	Larch nature
②	5 66 358 043 00	Larch GL, larch








## minimondo play unit Balloon ride

### Info box

Minimum space:	550x440x224 cm
Free falling height:	44 cm
Impact protection net:	7,5 m <sup>2</sup>
Foundations:	8x CF or 3x PFs + 5x PFr

5 59 859 011 00 SW pi  
① 5 59 859 041 00 Larch GL, larch





「Let's go on a voyage  
of discovery!」





# 「Sand and water play!」





# Sparkling fun for young and old.



A long-lasting material mix:  
made of stainless steel  
in combination with  
robinia wood.

eibe reserves the right to change the design without notice

eibe 59

# Sparkling fun for young and old.



A long-lasting material mix:  
made of stainless steel  
in combination with  
robinia wood.

eibe reserves the right to change the design without notice

eibe 59





## More fun with water!

Please order the pump separately!

Please order the pump separately!

You can find more sand and water play equipment in our webshop in the section sand and water play



### Water play unit River

#### Info box

Minimum space:	418x591x255 cm
Free falling height:	75 cm
Impact protection net:	12,0 m <sup>2</sup>
Foundations:	11x CF or 6x PFs

5 66 457 120 00 Stainless steel

Please choose one of these pumps:

5 66 290 0 Stainless steel



### Water play unit Nevada

#### Info box

Minimum space:	525x466x255 cm
Free falling height:	75 cm
Impact protection net:	12,0 m <sup>2</sup>
Foundations:	13x CF or 6x PFs

5 66 459 120 00 Stainless steel

Please choose one of these pumps:

5 66 290 0 Stainless steel



Click here for more awnings




### paradiso solar panel Sonya, complete

#### Info box

Minimum space:	369x369x291 cm
Free falling height:	-
Impact protection net:	-
Foundations:	4x CF

① 5 45 173 053 00 Robinia oiled  
5 45 173 063 00 Robinia natural







Scope of delivery deviates from the image



## paradiso sand construction site Sandro


### Info box

Minimum space:	650x650x239 cm
Free falling height:	59 cm
Impact protection net:	35,0 m²
Foundations:	13x CF

- ① 5 45 085 053 06 Robinia oiled  
5 45 085 063 00 Robinia natural



## Robust unit featuring robinia wood



Please order the  
pump separately!



## paradiso sand construction site Albida

### Info box

Minimum space:	1005x881x264 cm
Free falling height:	84 cm
Impact protection net:	65,0 m²
Foundations:	13x CF

- ① 5 45 111 053 06 Robinia oiled  
5 45 111 063 00 Robinia natural

Please choose one  
of these pumps:



- (A) 5 66 290 0 Stainless steel  
(B) 5 57 051 0 Grey-cast





# 「Creating play spaces – classics for every playground!」



Camping Lotsenhaus, Neustadt in Holstein, GER









## unique nest seat swing Luna with nest seat

### Info box

Minimum space:	710x300x330 cm
Free falling height:	145 cm
Impact protection net:	18,0 m <sup>2</sup>
Foundations:	4x CF

**5 55 355 0 24** Steel powder. blue

**1 5 55 355 0 25** Steel powder. grey



Click here for  
more swings



## paradiso double swing Yanna with safety swing seats

### Info box

Minimum space:	785x400x271 cm
Free falling height:	139 cm
Impact protection net:	22,0 m <sup>2</sup>
Foundations:	4x CF

**1 5 45 002 053 06** Robinia oiled

**5 45 002 063 00** Robinia natural



## playo triple swing Kondor

### Info box

Minimum space:	800x527x317 cm
Free falling height:	137 cm
Impact protection net:	38,0 m <sup>2</sup>
Foundations:	6x CF or 6x PFs

**5 10 140 011 00** SW pi

**5 10 140 031 00** Larch natural

**1 5 10 140 041 00** Larch GL



## unique swing Snake

### Info box

Minimum space:	1305x466x360 cm
Free falling height:	205 cm
Impact protection net:	23,0 m <sup>2</sup>
Foundations:	6x CF

**5 55 334 5** SW pi

**5 55 334 031 00** Larch nature

**1 5 55 334 041 00** Larch GL

**5 55 334 041 06** Larch GL green







## unique double aerial cable way Fjall 20 m

### Info box

Minimum space:	2405x680x386 cm
Free falling height:	80 cm
Impact protection net:	125,5 m <sup>2</sup>
Foundations:	12x CF

5 55 278 0 24	Steel powder. blue
① 5 55 278 0 25	Steel powder. grey




## paradiso aerial cableway Tardo with start platform 30 m


### Info box

Minimum space:	3718x660x392 cm
Free falling height:	144 cm
Impact protection net:	121,0 m <sup>2</sup>
Foundations:	10x CF

5 45 125 053 06	Robinia oiled
5 45 125 063 00	Robinia natural



[Click here for more aerial cableways & roundabouts](#)




## Roundabout with seats Jupiter Ø 200 cm

### Info box

Minimum space:	Ø 600x280 cm
Free falling height:	45 cm
Impact protection net:	28,5 m <sup>2</sup>
Foundations:	1x CF

5 56 071 0	Stainless steel
------------	-----------------

## Turning & Rocking



## Pendulum carousel ?Janus Ø 320 cm

### Info box

Minimum space:	Ø 1120x500 cm
Free falling height:	128 cm
Impact protection net:	66,5 m <sup>2</sup>
Foundations:	1x CF

5 56 084 0	Powdered steel, rubber
------------	------------------------





## Spring rocker Pony

### Info box

Minimum space:	300x250x238 cm
Free falling height:	58 cm
Impact protection net:	7,0 m <sup>2</sup>
Foundations:	1x 5591600 + 1x CF or 1x 5632100 + 1x CF

**5 67 013 0** Laminated timber, MDF



## Spring rocker Fox

### Info box

Minimum space:	300x250x238 cm
Free falling height:	58 cm
Impact protection net:	7,0 m <sup>2</sup>
Foundations:	1x 5591600 + 1x CF or 1x 5632100 + 1x CF

**5 67 241 0** Laminated timber, MDF

### PLEASE ORDER SEPARATELY!

Please find the right ground anchors for spring rockers on you can find in our webshop in the section accessories and spare parts



## paradiso spring rocker Ladybug

### Info box

Minimum space:	365x355x250 cm
Free falling height:	70 cm
Impact protection net:	11,0 m <sup>2</sup>
Foundations:	1x 5632280 + 1x CF

**5 45 289 053 00** Robinia oiled




## Balancing and motorik track

### Info box

Minimum space:	536x573x220 cm
Free falling height:	40 cm
Impact protection net:	24,0 m <sup>2</sup>
Foundations:	13x CF

**5 67 260 0** steel powder., VA, HPL



Click here for more rocking & spring rockers



## climbo stand-up seesaw Suri

### Info box

Minimum space:	800x541x317 cm
Free falling height:	138 cm
Impact protection net:	22,0 m <sup>2</sup>
Foundations:	1x CF

**5 25 906 013 00** SW pi  
**5 25 906 033 00** Larch natural  
**5 25 906 043 00** Larch GL, larch



## ecorino four-seater seesaw

### Info box

Minimum space:	660x314x303 cm
Free falling height:	124 cm
Impact protection net:	12,5 m <sup>2</sup>
Foundations:	1x CF

**5 15 022 013 00** SW pi  
**5 15 022 033 00** Larch natural  
**5 15 022 043 00** Larch GL





[Click here for more play units for nurseries](#)



## minimondo play unit Summer Apple

### Info box

Minimum space:	494x426x225 cm
Free falling height:	45 cm
Impact protection net:	16,0 m <sup>2</sup>
Foundations:	1x CF or 3x PFs + 2x PFr

5 59 852 001 00 SW pi



## minimondo

## swing Daisy with nest seat

### Info box

Minimum space:	510x230x200 cm
Free falling height:	90 cm
Impact protection net:	12,0 m <sup>2</sup>
Foundations:	2x CF

5 59 813 0 Steel, PE




## minimondo play unit Seagull

### Info box

Minimum space:	540x431x220 cm
Free falling height:	40 cm
Impact protection net:	18,0 m <sup>2</sup>
Foundations:	1x CF or 2x PFs + 3x PFr

- ① 5 59 820 011 00 SW pi
- 5 59 820 031 00 Larch natural
- 5 59 820 041 00 Larch GL, larch
- ② 5 59 820 041 21 Larch GL green, larch







[Click here for more  
dynamic play units](#)

**Includes mounting  
frame**



### Floor trampoline Jump XL 2x3 m

#### Info box

Minimum space:	650x550x100 cm
Free falling height:	≤100 cm
Impact protection net:	24,5 m <sup>2</sup>
Foundations:	-

**5 62 110 0** steel hot-dip galvanised, plastic,  
rubber granulate



### Floor trampoline Jump round Ø 170 cm

#### Info box

Minimum space:	Ø 420x100 cm
Free falling height:	≤100 cm
Impact protection net:	12,0 m <sup>2</sup>
Foundations:	-

**5 62 111 0** steel hot-dip galvanised, plastic,  
rubber granulate





## Crawling tunnel

Crawling Tunnels installed in the ground are the secret favourite in the playground. The imaginative design of the terrain stimulates the children's desire for discovery.



### Crawling tunnel start segment

5 40 203 101 26	GFRP red
5 40 203 101 22	GFRP grey
5 40 203 101 31	GFRP iguana

Size: Ø 84x90 cm

Scope of delivery: 1x start element: GFRP fixing screws



### Crawling tunnel straight section

5 40 202 101 26	GFRP red
5 40 202 101 22	GFRP grey
5 40 202 101 31	GFRP iguana

Size: Ø 84x80 cm

Scope of delivery: 1x straight element: GFRP fixing screws



### Crawling tunnel curved section

5 40 201 101 26	GFRP red
5 40 201 101 22	GFRP grey
5 40 201 101 31	GFRP iguana

Size: Ø 84x62 cm

Scope of delivery: 1x curve element 30°: GFRP fixing screws



### Slide with ladder ph 150 cm, stainless steel

#### Info box

Minimum space:	741x348x330 cm
Free falling height:	150 cm
Impact protection net:	22,0 m²
Foundations:	4x CF


5 58 451 0 Stainless steel



## We plan your hill slide to your requirements!



Consultation, design and pricing  
**CONSULTATIONS  
ON SITE**



### Attached slide broad ph 145 cm

#### Info box

Minimum space:	472x414x325 cm
Free falling height:	145 cm
Impact protection net:	16,5 m²
Foundations:	1x CF or 1x PFs

5 40 104 101 26	GFRP red
5 40 104 101 22	GFRP grey
5 40 104 101 31	GFRP iguana
5 40 104 121 00	Stainless steel



### Hill platform for add-on slide broad

#### Info box

Minimum space:	400x416x205 cm
Free falling height:	25 cm
Impact protection net:	-
Foundations:	4x CF or 4x PFs or 4x PFr

5 45 227 5 SW pi



eibiniLAND®

# 「Indoor adventures!」

Holiday Park RCN de Schotsman, NL





Airport Nuremberg, GER





# 「Modularity without limits – individual combinations!」

Customised standard unit or a complete new play world – we compose your individual play unit!

We check your bespoke combination on technical feasibility and stability, standard conformity, delivery time and price.

So we can guarantee the perfect construction process for your playground project.




You would like to replace the mountaineering ramp, choose your favourite ascent from a wide selection!



**Choose from different themed worlds:**

- Maritime                      → Construction Site
- Jungle                        → Farm
- Fire brigade                → Castle

You want to replace the obstacle?  
You are spoilt for choice:  
how about a buoy or a beanbag?



**Contact us**


#### Material



#### Platforms



#### Mounting elements



#### Panels:



#### Crossovers



#### Play panels



#### Ascents



#### Roof types and shapes







①



Click here for more  
indoor play units



## eibiniland indoor play unit Combination 02

### Info box

Minimum space:	829x494x255 cm
Free falling height:	45 cm
Impact protection net:	-
Foundations:	-

5 11 903 012 00	SW pi
5 11 903 032 00	Larch natural
① 5 11 903 042 00	Larch







①




### eibiniland indoor play unit Construction Site

#### Info box

Minimum space: 897x850x255 cm  
Free falling height: 45 cm  
Impact protection net: -  
Foundations: -

5 11 904 012 00 SW pi  
5 11 904 032 00 Larch natural  
① 5 11 904 042 00 Larch





「Take off with  
movement!」

Movement park community of Ebern, GER







# ACTIVE STATIONS

## THE OUTDOOR FITNESS STUDIO

You will find a lot of information and further products on this topic in our Outdoor Active brochure.

### PLEASE ORDER SEPARATELY!

You will find suitable impact attenuation tiles in our webshop under playground accessories.

### active-station crosstrainer


5 54 034 0



Teenagers  
Adults Seniors



Mobilisation



Warm-up  
Coordination  
Endurance  
Speed




### active-station chest press


5 54 039 0



Teenagers  
Adults Seniors



Strength



Strength  
Coordination  
Endurance







You will find a lot of information and further products on this topic in our Outdoor Active brochure.




## Calisthenics unit Maxi 01


■ 5 52 056 70  
■ 5 52 056 31



Teenagers  
Adults Seniors



Muscle training



Warm-up  
Strength  
Coordination  
Endurance  
Speed  
Stretching





# CALISTHENICS & STREET WORKOUT

IDEAL TRAINING PLATFORM FOR EVERYONE!



Sports facility, community of Giebestadt, GER







ecorino  
play unit Schneeberg, solo

eibe play Ltd, eibe House  
Forsyth's Home Farm  
A3 Bypass Road, Hurtmore, Surrey  
GU8 6AD  
UK  
Phone 01483 / 813834  
[eibe@eibe.co.uk](mailto:eibe@eibe.co.uk)  
[www.eibe.co.uk](http://www.eibe.co.uk)